

Page 1/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.10.2022 Version number 1 Revision: 03.10.2022

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name: Reload Swiss RS 60

· Article number: PC 00242

· Relevant identified uses of the substance or mixture and uses advised against

· Sector of Use

Propellant powder for non-commercial loading of cartridges for hunting and sporting ammunition

· Application of the substance / the mixture Article for gun tubes

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Nitrochemie Wimmis AG

Niesenstrasse 44

CH-3752 Wimmis

· Further information obtainable from:

Dr. Dominic Kaase Leiter Stabsstelle

Sicherheit und Umweltschutz

Nitrochemie Wimmis AG

Niesenstrasse 44 CH-3752 Wimmis

Tel: +41 (0) 33 228 11 86 Fax: +41 (0) 33 228 13 30

E-Mail: dominic.kaase@nitrochemie.com

URL: www.nitrochemie.com

· Emergency telephone number: During opening hours: +41/33 228 11 86

2 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS01 exploding bomb

Expl. 1.4 H204 Fire or projection hazard.



GHS06 skull and crossbones

Acute Tox. 2 H300 Fatal if swallowed.

Acute Tox. 1 H310 Fatal in contact with skin.



GHS08 health hazard

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

(Contd. on page 2)



Page 2/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.10.2022 Version number 1 Revision: 03.10.2022

Trade name: Reload Swiss RS 60

(Contd. of page 1)



Acute Tox. 4 H332 Harmful if inhaled.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms







GHS01 GHS

GHS06 GHS08

- · Signal word Danger
- · Hazard-determining components of labelling:

glycerol trinitrate

· Hazard statements

H204 Fire or projection hazard.

H300+H310 Fatal if swallowed or in contact with skin.

H332 Harmful if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P234 Keep only in original packaging.

P240 Ground and bond container and receiving equipment.

P250 Do not subject to grinding/shock/friction.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P262 Do not get in eyes, on skin, or on clothing.

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P370+P372+P380+P373 In case of fire: Explosion risk. Evacuate area. DO NOT fight fire when fire reaches

explosives.

P401 Store in accordance with local/regional/national/international regulations.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

· Information concerning particular hazards for human and environment:

Handling larger quantities than contained in the original packaging is associated with increased danger, up to and including a fire hazard and either a minor blast hazard or a minor projection hazard or both.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.

(Contd. on page 3)



Page 3/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.10.2022 Version number 1 Revision: 03.10.2022

Trade name: Reload Swiss RS 60

· vPvB: Not applicable.

(Contd. of page 2)

3 Composition/information on ingredients

- · Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
	nitrocellulose	80.0%
	♦ Expl. 1.1, H201, EUH001	
CAS: 55-63-0	glycerol trinitrate	12–16%
EINECS: 200-240-8	Unst. Expl., H200; Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330; STOT RE 2, H373; Aquatic Chronic 2, H411; Flam. Liq. 2, H225	

[•] Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Do not induce vomiting; call for medical help immediately.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions.

Water

Water spray

· For safety reasons unsuitable extinguishing agents:

Foam

Extinguishing powder

Carbon dioxide

(Contd. on page 4)



Page 4/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.10.2022 Version number 1 Revision: 03.10.2022

Trade name: Reload Swiss RS 60

(Contd. of page 3)

- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment:

Mouth respiratory protective device.

Wear self-contained respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Remove persons from danger area.

· Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Precautions for safe handling

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Prevent impact and friction.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: storage facility for explosives
- · Information about storage in one common storage facility:

only storage facility for explosives

pay attention to the compatibility group

· Further information about storage conditions:

Keep container tightly sealed.

Protect from heat and direct sunlight.

- · Storage class: 1
- \cdot *Specific end use*(s) *No further relevant information available.*

ΙE -



Page 5/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.10.2022 Version number 1 Revision: 03.10.2022

Trade name: Reload Swiss RS 60

(Contd. of page 4)

8 Exposure controls/personal protection

- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

55-63-0 glycerol trinitrate

OEL Short-term value: 0.19 mg/m³, 0.02 ppm Long-term value: 0.095 mg/m³, 0.01 ppm

Sk, IOELV

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

 ${\it Store protective clothing separately}.$

Avoid contact with the eyes and skin.

Standarts of Personal Protective Equipment

Respiratory protection: EN 136:1998; EN 137:2006; EN 138:1994; EN 140:1998

Eye protection: EN 166:2001

Body protection: EN ISO 13688:2013; EN ISO 17491-3:2008; EN ISO 17491-4:2008; EN 943-1:2015; EN

943-2:2002

Protection of hands: EN ISO 374-1:2016; EN ISO 374-2:2003; EN ISO 374-3:2003

Safety shoes: EN ISO 20345:2011

· Respiratory protection:

Suitable respiratory protective device recommended.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)



Page 6/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.10.2022 Version number 1 Revision: 03.10.2022

Trade name: Reload Swiss RS 60

(Contd. of page 5)

· Eye/face protection



Tightly sealed goggles

Goggles recommended during refilling

· Body protection:

Protective work clothing Heat-resistant protective clothing Antistatic protective gear Nomex

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Physical state Solid · Colour: Dark grey · Odour: Characteristic · Odour threshold: Not determined. · Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and boiling

Undetermined. range Flammable. · Flammability

· Lower and upper explosion limit

Not determined. · Lower: · Upper: Not determined. · Flash point: Not applicable. 170 °C · Auto-ignition temperature:

· Decomposition temperature: Not determined.

 $\cdot pH$ Not applicable. · Viscosity:

· Kinematic viscosity Not applicable. · Dynamic: Not applicable.

· Solubility

Insoluble. · Partition coefficient n-octanol/water (log value) Not determined. · Vapour pressure: Not applicable.

· Density and/or relative density

· Density: Not determined. · Relative density Not determined. · Vapour density Not applicable. · Particle characteristics See item 3.

· Other information

· Appearance:

· Form: Solid

(Contd. on page 7)



Page 7/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.10.2022 Version number 1 Revision: 03.10.2022

Trade name: Reload Swiss RS 60

(Contd. of page 6)

· Important information on protection of health and

environment, and on safety.

• Ignition temperature: 170 °C

• Explosive properties: Risk of explosion by shock, friction, fire or other sources

Void

of ignition.

· Solvent content:

· Solids content: 100.0 %

· Change in condition

· Evaporation rate Not applicable.

· Information with regard to physical hazard classes

• Explosives Fire or projection hazard.

· Flammable gases Void · Aerosols Void Void · Oxidising gases Void · Gases under pressure · Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void

· Self-heating substances and mixtures · Substances and mixtures, which emit flammable

Substances and mixtures, which emit flammable gases in contact with water
Oxidising liquids
Oxidising solids
Organic peroxides
Corrosive to metals

· Corrosive to metals Void
· Desensitised explosives Void

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions

Danger of explosion.

Reacts with acids, alkalis and oxidising agents.

Reacts with reducing agents.

Develops toxic gases/fumes.

Flammable.

Risk of explosion by shock, friction, fire or other sources of ignition

- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products:

Carbon monoxide and carbon dioxide

(Contd. on page 8)



Page 8/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.10.2022 Version number 1 Revision: 03.10.2022

Trade name: Reload Swiss RS 60

(Contd. of page 7)

Nitrogen oxides (NOx)

11 Toxicological information

- · Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity

Fatal if swallowed or in contact with skin.

Harmful if inhaled.

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral	LD50	31.3–41.7 mg/kg
Dermal		31.3–41.7 mg/kg
Inhalative	LC50/4 h	3.13–4.17 mg/l

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- $\cdot \textit{Bioaccumulative potential No further relevant information available}.$
- · Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · Other adverse effects
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

(Contd. on page 9)



Page 9/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.10.2022 Version number 1 Revision: 03.10.2022

Trade name: Reload Swiss RS 60

Harmful to aquatic organisms

(Contd. of page 8)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue				
HP1	Explosive			
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity			
HP6	Acute Toxicity			
HP14	Ecotoxic			

0509 Powder, smokeless

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

- · UN number or ID number
- · ADR, IMDG, IATA UN0509
- · UN proper shipping name
- $\cdot ADR$
- · IMDG, IATA Powder, smokeless
- · Transport hazard class(es)
- · ADR, IMDG, IATA



- · Class 1 Explosive substances and articles.
- · Label 1.4
- · Packing group
- · ADR, IMDG, IATA not regulated
- · Environmental hazards: Not applicable.
- · Special precautions for user Warning: Explosive substances and articles.
- · Hazard identification number (Kemler code): 1.4C
- EMS Number: F-B,S-Y
- · Maritime transport in bulk according to IMO

instruments Not applicable.

(Contd. on page 10)



Page 10/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.10.2022 Version number 1 Revision: 03.10.2022

Trade name: Reload Swiss RS 60

(Contd. of page 9)

· Transport/Additional information:

 $\cdot ADR$

· Transport category 2 · Tunnel restriction code (E)

· UN "Model Regulation": UN 0509 POWDER, SMOKELESS, 1.4

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category

H1 ACUTE TOXIC

P1b EXPLOSIVES

- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 20 t
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H200 Unstable explosives.

H201 Explosive; mass explosion hazard.H225 Highly flammable liquid and vapour.

H300 Fatal if swallowed.

H310 Fatal in contact with skin.

(Contd. on page 11)



Page 11/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.10.2022 Version number 1 Revision: 03.10.2022

Trade name: Reload Swiss RS 60

(Contd. of page 10)

H330 Fatal if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

EUH001 Explosive when dry.

- · Department issuing SDS: department for health and security and environment
- · Contact: -
- · Date of previous version: 31.08.2022
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Expl. 1.1: Explosives - Division 1.1

Expl. 1.4: Explosives – Division 1.4

Unst. Expl.: Explosives – Unstable explosive

Flam. Liq. 2: Flammable liquids - Category 2

Acute Tox. 2: Acute toxicity - Category 2

Acute Tox. 1: Acute toxicity - Category 1 Acute Tox. 4: Acute toxicity - Category 4

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· * Data compared to the previous version altered.